

DECT XHTML Pages / RAP2.1 / PBX Manager

All Gigaset pro DECT Systems are able to view XHTML pages.

You can create your own DECT App. Gigaset pro is using xhtml for a PBX Manager.

Visual voice / Call Lists / Directories / DND / Login / Logoff / Call Forwarding are feature which can be programmed.

XHTML Reference :



<p>Alignments</p> 	<pre><body> <p>Left aligned is default.</p> <p style="text-align:center">Centered is also possible.</p> <p style="text-align:right">And even right aligned text works.</p> </body> </html></pre>	Alignments.html
<p>Bold</p> 	<pre><body> <p style="font-weight:bold">All paragraphs can be shown with a bold font.</p> <p>Default setting is non bold.</p> </body></pre>	Bold.html
<p>Blink</p> 	<pre><body> <p style="text-decoration:blink">All paragraphs can blink.</p> <p>Default setting is not blinking.</p> </body></pre>	Blink.html
<p>LongText</p> 	<pre><body> <p>Long words like this supercalifragilisticxpialidocious will be wrapped, no syllable division.Long words like this supercalifragilisticxpialidocious will be wrapped, no syllable division.</p> </body></pre>	LongText.html

<p>Hyperlink</p> <p>Hyperlinks will be shown inside triangle characters. this is a link</p> <p><- Link</p>	<pre><body> <p>Hyperlinks will be shown inside triangle characters. this is a link </p> </body></pre>	Hyperlink.html
<p>Hyperlink1</p> <p>Here is the first link and this is the second one</p> <p><- Link</p>	<pre><body> <p>Here is the first link and this is the second one </p> </body></pre>	Hyperlink1.html
<p>Columns</p> <p>left centered right left centered right</p> <p><-</p>	<pre><body> <p style="float:left; width:50%;">left</p> <p style="float:right; width:49%; text-align:right">right</p> <p style="text-align:center">centered</p> <p style="float:left; width:50%;">left</p> <p style="float:right; width:49%; text-align:right">right</p> <p style="text-align:center">centered</p> </body></pre>	Columns.html
<p>ColumnsNOK</p> <p>left centered right left centered right much too right text..</p> <p><-</p>	<pre><body> <p style="float:left; width:50%;">left</p> <p style="float:right; width:49%; text-align:right">right</p> <p style="text-align:center">centered</p> <p style="float:left; width:50%;">left</p> <p style="float:right; width:49%; text-align:right">right</p> <p style="text-align:center">centered</p> <p style="float:left; width:50%;">much too long text left</p> <p style="float:right; width:49%; text-align:right">Right but too long</p> </body></pre>	ColumnsNOK.html
<p>MultilineLink</p> <p>02146912426 20.07.2007 20:07 01371617556</p> <p><- OK</p>	<pre><body> 02146912426
 20.07.2007 20:07 01371617556 </body></pre>	MultilineLink.html

<table border="1"> <tr><td colspan="2">Editor</td></tr> <tr><td>Name:</td><td>Name:</td></tr> <tr><td>ZIP code:</td><td>Text: default</td></tr> <tr><td>Abc</td><td>Password: -----</td></tr> <tr><td><C</td><td>Search</td></tr> <tr><td>Back</td><td>Search</td></tr> </table>	Editor		Name:	Name:	ZIP code:	Text: default	Abc	Password: -----	<C	Search	Back	Search	<table border="1"> <tr><td colspan="2">Editor</td></tr> <tr><td>Name:</td><td>Name:</td></tr> <tr><td>ZIP code:</td><td>Text: default</td></tr> <tr><td>Abc</td><td>Password: -----</td></tr> <tr><td><C</td><td>Search</td></tr> <tr><td>Back</td><td>Search</td></tr> </table>	Editor		Name:	Name:	ZIP code:	Text: default	Abc	Password: -----	<C	Search	Back	Search	<pre><body> <form method="get" action="edit_result.html"> <p>Name:<input type="text" name="name" maxlength="32" /></p> <p>ZIP code:<input type="text" name="zip" maxlength="5" /></p> <p>Text: <input type="text" name="input1" maxlength="12" value="default" /></p> <p>Password: <input type="password" name="input2" maxlength="12" /></p> <input type="submit" value="Search" /> </form> </body></pre>	Editor.html
Editor																											
Name:	Name:																										
ZIP code:	Text: default																										
Abc	Password: -----																										
<C	Search																										
Back	Search																										
Editor																											
Name:	Name:																										
ZIP code:	Text: default																										
Abc	Password: -----																										
<C	Search																										
Back	Search																										
<table border="1"> <tr><td colspan="2">Selection</td></tr> <tr><td>Select: <WertA ></td><td>Select: <WertB ></td></tr> <tr><td><-</td><td>Save</td></tr> <tr><td><-</td><td>Save</td></tr> </table>	Selection		Select: <WertA >	Select: <WertB >	<-	Save	<-	Save	<table border="1"> <tr><td colspan="2">Selection</td></tr> <tr><td>Select: <WertA ></td><td>Select: <WertB ></td></tr> <tr><td><-</td><td>Save</td></tr> <tr><td><-</td><td>Save</td></tr> </table>	Selection		Select: <WertA >	Select: <WertB >	<-	Save	<-	Save	<pre><body> <form method="get" action="select_result.html"> <p>Select: <select name="s1"> <option value="1">WertA</option> <option value="2" selected="selected">WertB</option> <option value="3">WertC</option></select></p> <input type="submit" value="Save" /> </form> </body></pre>	Selection.html								
Selection																											
Select: <WertA >	Select: <WertB >																										
<-	Save																										
<-	Save																										
Selection																											
Select: <WertA >	Select: <WertB >																										
<-	Save																										
<-	Save																										
<table border="1"> <tr><td colspan="2">SubmitButton 44</td></tr> <tr><td>The quick brown fox jumps over the lazy dog.</td><td>Search</td></tr> <tr><td>Abc</td><td></td></tr> <tr><td><C</td><td>Options</td></tr> <tr><td>Back</td><td>OK</td></tr> </table>	SubmitButton 44		The quick brown fox jumps over the lazy dog.	Search	Abc		<C	Options	Back	OK	<table border="1"> <tr><td colspan="2">SubmitButton</td></tr> <tr><td>The quick brown fox jumps over the lazy dog.</td><td>Search</td></tr> <tr><td>Abc</td><td></td></tr> <tr><td><C</td><td>Options</td></tr> <tr><td>Back</td><td>OK</td></tr> </table>	SubmitButton		The quick brown fox jumps over the lazy dog.	Search	Abc		<C	Options	Back	OK	<pre><body> <form method="get" action="edit_result.jsp"> <textarea name="s1"> The quick brown fox jumps over the lazy dog. </textarea> <input type="submit" value="Search"/> </form> </body></pre>	SubmitButton.html				
SubmitButton 44																											
The quick brown fox jumps over the lazy dog.	Search																										
Abc																											
<C	Options																										
Back	OK																										
SubmitButton																											
The quick brown fox jumps over the lazy dog.	Search																										
Abc																											
<C	Options																										
Back	OK																										
<table border="1"> <tr><td colspan="2">TextArea 44</td></tr> <tr><td>The quick brown fox jumps over the lazy dog.</td><td>Send</td></tr> <tr><td>Abc</td><td></td></tr> <tr><td><C</td><td>Options</td></tr> <tr><td>Back</td><td>OK</td></tr> </table>	TextArea 44		The quick brown fox jumps over the lazy dog.	Send	Abc		<C	Options	Back	OK	<table border="1"> <tr><td colspan="2">TextArea</td></tr> <tr><td>The quick brown fox jumps over the lazy dog.</td><td>Send</td></tr> <tr><td>Abc</td><td></td></tr> <tr><td><C</td><td>Options</td></tr> <tr><td>Back</td><td>OK</td></tr> </table>	TextArea		The quick brown fox jumps over the lazy dog.	Send	Abc		<C	Options	Back	OK	<pre><body> <form method="get" action="edit_result.jsp"> <textarea name="s1"> The quick brown fox jumps over the lazy dog. </textarea> <input type="submit" value="Send"/> </form> </body></pre>	TextArea.html				
TextArea 44																											
The quick brown fox jumps over the lazy dog.	Send																										
Abc																											
<C	Options																										
Back	OK																										
TextArea																											
The quick brown fox jumps over the lazy dog.	Send																										
Abc																											
<C	Options																										
Back	OK																										
<table border="1"> <tr><td colspan="2">Radiobutton</td></tr> <tr><td>Radio 1</td><td><input type="radio"/></td></tr> <tr><td>Radio 2</td><td><input checked="" type="radio"/></td></tr> <tr><td>Radio 3 with lon...</td><td><input type="radio"/></td></tr> <tr><td>Send</td><td>OK</td></tr> </table>	Radiobutton		Radio 1	<input type="radio"/>	Radio 2	<input checked="" type="radio"/>	Radio 3 with lon...	<input type="radio"/>	Send	OK	<table border="1"> <tr><td colspan="2">Radiobutton</td></tr> <tr><td>Radio 1</td><td><input type="radio"/></td></tr> <tr><td>Radio 2</td><td><input checked="" type="radio"/></td></tr> <tr><td>Radio 3 with lon...</td><td><input type="radio"/></td></tr> <tr><td>Send</td><td>OK</td></tr> </table>	Radiobutton		Radio 1	<input type="radio"/>	Radio 2	<input checked="" type="radio"/>	Radio 3 with lon...	<input type="radio"/>	Send	OK	<pre><body> <form method="get" action="radio_result.html"> <p>Radio 1<input type="radio" name="r1" value="1"/> Radio 2<input type="radio" name="r1" value="2" checked="checked" /> Radio 3 with long text<input type="radio" name="r1" value="3"/> </p> <input type="submit" value="Send" /> </form> </body></pre>	Radiobutton.html				
Radiobutton																											
Radio 1	<input type="radio"/>																										
Radio 2	<input checked="" type="radio"/>																										
Radio 3 with lon...	<input type="radio"/>																										
Send	OK																										
Radiobutton																											
Radio 1	<input type="radio"/>																										
Radio 2	<input checked="" type="radio"/>																										
Radio 3 with lon...	<input type="radio"/>																										
Send	OK																										

<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">Checkbox</p> <p>Check 1 <input checked="" type="checkbox"/></p> <p>Check 2 <input checked="" type="checkbox"/></p> <p>Check 3 with lon...<input checked="" type="checkbox"/></p> <p style="text-align: right;">Send OK</p> </div>	<pre><body> <form method="get" action="checkbox_result.html"> <p>Check 1<input type="checkbox" name="C1" checked="checked"/> Check 2<input type="checkbox" name="C2" /> Check 3 with long text<input type="checkbox" name="C3" checked="checked"/></p> <input type="submit" value="Send" /> </form> </body></pre>	Checkbox.html		
<div style="background-color: black; color: white; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 5px;"> <p style="text-align: center;">MakeACall</p> <p>To make a call, just press the right softkey or the send key. >0287191-2526</p> <p style="text-align: right;">← Call Back Dial</p> </td> <td style="width: 50%; padding: 5px;"> <p style="text-align: center;">Dial Number</p> <p style="text-align: center;">02871912526</p> </td> </tr> </table> </div>	<p style="text-align: center;">MakeACall</p> <p>To make a call, just press the right softkey or the send key. >0287191-2526</p> <p style="text-align: right;">← Call Back Dial</p>	<p style="text-align: center;">Dial Number</p> <p style="text-align: center;">02871912526</p>	<pre><body> <p>To make a call, just press the right softkey or the send key. 02871 91-2526 </p> </body></pre>	MakeACall.html
<p style="text-align: center;">MakeACall</p> <p>To make a call, just press the right softkey or the send key. >0287191-2526</p> <p style="text-align: right;">← Call Back Dial</p>	<p style="text-align: center;">Dial Number</p> <p style="text-align: center;">02871912526</p>			

<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">CopyToDir</p> <p>To copy the number to the directory, press the right softkey. >02871 9186477</p> <p style="text-align: right;">← Copy To... Back OK</p> </div>	<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">Directory</p> <p style="text-align: center;"><New Entry></p> </div>	<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">New Entry</p> <p style="text-align: center;">...8719186477</p> <p style="text-align: center;">Copy number to:</p> <p style="text-align: center;">← 🏠 📞 📱 ▶</p> <p style="text-align: right;">Back OK</p> </div>	<pre><body> <p>To copy the number to the directory, press the right softkey. 02871 9186477 </p> </body></pre>	CopyToDir.html
<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">New Entry</p> <p>First Name:</p> <p>Surname:</p> <p>Phone (Home):</p> <p style="text-align: right;">Abc</p> <p style="text-align: right;"><C Save</p> </div>				



Documents :

xhtml-gp http.pdf	xhtml-gp uas.pdf	xhtml-gp 2.1.pdf
<ul style="list-style-type: none"> 1 Introduction 1.1 Purpose of the Document 1.2 Validity of the document 2 HTTP reference 2.1 Authorization 2.2 Redirection 2.3 HTTP Methods 2.4 HTTP Parameters 2.4.1 Header Parameters 2.4.2 URL Parameters 	<ul style="list-style-type: none"> 1 Introduction 1.1 Purpose of the Document 1.2 Validity of the document 2 XHTML Reference 2.1 Overview 2.2 General principles 2.2.1 Basics 2.2.2 Navigation 2.3 Info Displays <title> / <p> / <a> 2.4 Menus and Lists / 2.5 Forms <form> / <input> / <select> / <option> / <textarea> 3 HTTP reference 3.1 Digest Authentication 4 Device Capabilities 4.1 Handsets 4.1.1 Display Capabilities 4.1.2 Fonts and Character sets 4.1.3 Form capabilities 4.2 Base Stations 5 Annex A. Fonts A.1. Basic Latin A.2. Latin 1 Supplement A.3. Special Characters 	<ul style="list-style-type: none"> 1 Introduction 1.1 Purpose of the Document 1.2 Validity of the document 2 XHTML Reference 2.1 XHTML-GP Markup Rules 2.2 Prologue Components 2.2.1 Xml declaration 2.2.2 Doctype declaration 3 XHTML-GP Reference 3.1 Overview 3.1.1 Elements and Attributes 3.1.2 CSS Styles 3.2 Classification of Elements 3.2.1 Block Elements 3.2.2 Inline Elements 3.3 Structure and Header Elements <html> / <head> / <title> / <body> / <meta> 3.4 Text Elements <p> /
 3.5 Multimedia elements <object> 3.6 Hypertext <a> 3.7 List / 3.8 Basic Forms <form> / <input> / <select> / <option> / <textarea>

Demo: [DECT_XHTML.zip](#)

Unzip and copy the folder to a webserver and add the URL : <http://<IP-webserver>/folder/menu.html> to Info-Service settings.