

# FAQ Maxwell - Broadsoft Phone books

## Introduction

Broadsoft supports the following phone books:

- 1. Personal
- 2. Group
- 3. Group Common
- 4. Enterprise
- 5. Enterprise Common

Valid for Maxwell			
Basic	2	3	4

Info: Phone book lookup for incoming/outgoing calls is available from software 2.20.5 or higher.

Search anywhere in name?	<input type="button" value="Yes"/>	<input checked="" type="button" value="No"/>
Lookup for incoming calls	<input checked="" type="button" value="Yes"/>	<input type="button" value="No"/>
Lookup for outgoing calls	<input checked="" type="button" value="Yes"/>	<input type="button" value="No"/>

Maxwell 2 & 3	Maxwell Basic

## Configuration

You can enable / disable the Broadsoft phone books and give them an different name to match your customer requirements.

The Broadsoft phone books can only be used if the [XSI service](#) is configured and working.

## Auto provisioning

This functionality is mostly enabled via Broadsoft auto provisioning, see below for the provisioning parameters.

Parameter	Description
Telephony.PhoneSystem.XSI.PersonalDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.PersonalDirectory.Name	Name of the personal Directory
Telephony.PhoneSystem.XSI.GroupDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.GroupDirectory.Name	Name of the Group Directory
Telephony.PhoneSystem.XSI.GroupCommonDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.GroupCommonDirectory.Name	Name of the Group Common Directory
Telephony.PhoneSystem.XSI.EnterpriseDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.EnterpriseDirectory.Name	Name of the Enterprise Directory
Telephony.PhoneSystem.XSI.EnterpriseCommonDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.EnterpriseCommonDirectory.Name	Name of the Enterprise Common Directory
Telephony.PhoneSystem.Broadsoft.Lookup.Incoming	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.Broadsoft.Lookup.Outgoing	0 = Disabled 1 = Enabled

Example:

```
<param name="Telephony.PhoneSystem.XSI.PersonalDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.PersonalDirectory.Name" value="Personal book"/>
<param name="Telephony.PhoneSystem.XSI.GroupDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.GroupDirectory.Name" value="Group book"/>
<param name="Telephony.PhoneSystem.XSI.GroupCommonDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.GroupCommonDirectory.Name" value="Group Common book"/>
<param name="Telephony.PhoneSystem.XSI.EnterpriseDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.EnterpriseDirectory.Name" value="Enterprise book"/>
<param name="Telephony.PhoneSystem.XSI.EnterpriseCommonDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.EnterpriseCommonDirectory.Name" value="Enterprise Common Book"/>
<param name="Telephony.PhoneSystem.XSI.SearchAnywhereInName.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.Broadsoft.Lookup.Incoming" value="1"/>
<param name="Telephony.PhoneSystem.Broadsoft.Lookup.Outgoing" value="1"/>
```

## User interface



The user can via short-press phonebook key, be directed to one phonebook, configured by the administrator or via long-press get the complete list of available phonebooks.

Which phonebooks are listed, is dependent on the settings.

### Select Directory

- Local Directory
- Personal Phonenumber
- Group Directory
- Common Phonenumber
- Enterprise Directory
- Enterprise Common
- 

Back OK