

# DECT XHTML Pages / RAP2.1 / PBX Manager

All Gigaset pro DECT Systems are able to view XHTML pages.

You can create your own DECT App. Gigaset pro is using xhtml for a PBX Manager.

Visual voice / Call Lists / Directories / DND / Login / Logoff / Call Forwarding are feature which can be programmed.

## XHTML Reference :



<p><b>Alignments</b></p> <p>Left aligned is default.          Centered is also possible.          And even right aligned text works.</p> <p>&lt;-</p>	<pre>&lt;body&gt; &lt;p&gt;Left aligned is default.&lt;/p&gt; &lt;p style="text-align:center"&gt;Centered is also possible.&lt;/p&gt; &lt;p style="text-align:right"&gt;And even right aligned text works.&lt;/p&gt; &lt;/body&gt; &lt;/html&gt;</pre>	<p><a href="#">Alignments.html</a></p>
<p><b>Bold</b></p> <p><b>All paragraphs can be shown with a bold font.</b>          Default setting is non bold.</p> <p>&lt;-</p>	<pre>&lt;body&gt; &lt;p style="font-weight:bold"&gt;All paragraphs can be shown with a bold font.&lt;/p&gt; &lt;p&gt;Default setting is non bold.&lt;/p&gt; &lt;/body&gt;</pre>	<p><a href="#">Bold.html</a></p>
<p><b>Blink</b></p> <p>All paragraphs can blink.          Default setting is not blinking.</p> <p>&lt;-</p>	<pre>&lt;body&gt; &lt;p style="text-decoration:blink"&gt;All paragraphs can blink.&lt;/p&gt; &lt;p&gt;Default setting is not blinking.&lt;/p&gt; &lt;/body&gt;</pre>	<p><a href="#">Blink.html</a></p>
<p><b>LongText</b></p> <p>Long words like this supercalifragilisticxpialidocious will be wrapped, no syllable division.Long words</p> <p>&lt;-</p>	<pre>&lt;body&gt; &lt;p&gt;Long words like this supercalifragilisticxpialidocious will be wrapped, no syllable division.Long words like this supercalifragilisticxpialidocious will be wrapped, no syllable division.&lt;/p&gt; &lt;/body&gt;</pre>	<p><a href="#">LongText.html</a></p>

<p>Hyperlink</p> <p>Hyperlinks will be shown inside triangle characters.  <a href="#">this is a link</a></p> <p>&lt;- Link</p>	<pre>&lt;body&gt; &lt;p&gt;Hyperlinks will be shown inside triangle characters. &lt;a href="examples.html"&gt;this is a link&lt;/a&gt; &lt;/p&gt; &lt;/body&gt;</pre>	<a href="#">Hyperlink.html</a>
<p>Hyperlink1</p> <p>Here is the first <a href="#">link</a> and <a href="#">this is the second one</a></p> <p>&lt;- Link</p>	<pre>&lt;body&gt; &lt;p&gt;Here is the first &lt;a href="hyperlinks_01.html"&gt;link&lt;/a&gt; and &lt;a href="hyperlinks_02.html"&gt;this is the second one&lt;/a&gt; &lt;/p&gt; &lt;/body&gt;</pre>	<a href="#">Hyperlink1.html</a>
<p>Columns</p> <p>left centered right  left centered right</p> <p>&lt;-</p>	<pre>&lt;body&gt; &lt;p style="float:left; width:50%;"&gt;left&lt;/p&gt; &lt;p style="float:right; width:49%; text-align:right"&gt;right&lt;/p&gt; &lt;p style="text-align:center"&gt;centered&lt;/p&gt; &lt;p style="float:left; width:50%;"&gt;left&lt;/p&gt; &lt;p style="float:right; width:49%; text-align:right"&gt;right&lt;/p&gt; &lt;p style="text-align:center"&gt;centered&lt;/p&gt; &lt;/body&gt;</pre>	<a href="#">Columns.html</a>
<p>ColumnsNOK</p> <p>left centered right  left centered right  much too right text..</p> <p>&lt;-</p>	<pre>&lt;body&gt; &lt;p style="float:left; width:50%;"&gt;left&lt;/p&gt; &lt;p style="float:right; width:49%; text-align:right"&gt;right&lt;/p&gt; &lt;p style="text-align:center"&gt;centered&lt;/p&gt; &lt;p style="float:left; width:50%;"&gt;left&lt;/p&gt; &lt;p style="float:right; width:49%; text-align:right"&gt;right&lt;/p&gt; &lt;p style="text-align:center"&gt;centered&lt;/p&gt; &lt;p style="float:left; width:50%;"&gt;much too long text left&lt;/p&gt; &lt;p style="float:right; width:49%; text-align:right"&gt;Right but too long&lt;/p&gt; &lt;/body&gt;</pre>	<a href="#">ColumnsNOK.html</a>
<p>MultilineLink</p> <p><a href="#">02146912426</a>  <a href="#">20.07.2007 20:07</a>  <a href="#">01371617556</a></p> <p>&lt;- OK</p>	<pre>&lt;body&gt; &lt;ul&gt; &lt;li&gt;&lt;a href="#"&gt;02146912426&lt;br/&gt; 20.07.2007 20:07&lt;/a&gt;&lt;/li&gt; &lt;li&gt;&lt;a href="#"&gt;01371617556&lt;/a&gt;&lt;/li&gt; &lt;/ul&gt; &lt;/body&gt;</pre>	<a href="#">MultilineLink.html</a>

<table border="1"> <tr><th colspan="2">Editor</th></tr> <tr><td>Name:</td><td></td></tr> <tr><td>ZIP code:</td><td></td></tr> <tr><td></td><td>Abc</td></tr> <tr><td><b>&lt;C</b></td><td>Search</td></tr> </table>	Editor		Name:		ZIP code:			Abc	<b>&lt;C</b>	Search	<table border="1"> <tr><th colspan="2">Editor</th></tr> <tr><td>Name:</td><td></td></tr> <tr><td>Text:</td><td>default</td></tr> <tr><td>Password:</td><td>-----</td></tr> <tr><td></td><td></td></tr> <tr><td>Back</td><td>Search</td></tr> </table>	Editor		Name:		Text:	default	Password:	-----			Back	Search	<pre>&lt;body&gt; &lt;form method="get" action="edit_result.html"&gt; &lt;p&gt;Name:&lt;input type="text" name="name" maxlength="32" /&gt;&lt;/p&gt; &lt;p&gt;ZIP code:&lt;input type="text" name="zip" maxlength="5" /&gt;&lt;/p&gt; &lt;p&gt;Text: &lt;input type="text" name="input1" maxlength="12" value="default" /&gt;&lt;/p&gt; &lt;p&gt;Password: &lt;input type="password" name="input2" maxlength="12" /&gt;&lt;/p&gt; &lt;input type="submit" value="Search" /&gt; &lt;/form&gt; &lt;/body&gt;</pre>	<a href="#">Editor.html</a>
Editor																									
Name:																									
ZIP code:																									
	Abc																								
<b>&lt;C</b>	Search																								
Editor																									
Name:																									
Text:	default																								
Password:	-----																								
Back	Search																								
<table border="1"> <tr><th colspan="2">Selection</th></tr> <tr><td>Select:</td><td></td></tr> <tr><td>&lt;WertA &gt;</td><td></td></tr> <tr><td></td><td></td></tr> <tr><td><b>&lt;-</b></td><td>Save</td></tr> </table>	Selection		Select:		<WertA >				<b>&lt;-</b>	Save	<table border="1"> <tr><th colspan="2">Selection</th></tr> <tr><td>Select:</td><td></td></tr> <tr><td>&lt;WertB &gt;</td><td></td></tr> <tr><td></td><td></td></tr> <tr><td><b>&lt;-</b></td><td>Save</td></tr> </table>	Selection		Select:		<WertB >				<b>&lt;-</b>	Save	<pre>&lt;body&gt; &lt;form method="get" action="select_result.html"&gt; &lt;p&gt;Select: &lt;select name="s1"&gt; &lt;option value="1"&gt;WertA&lt;/option&gt; &lt;option value="2" selected="selected"&gt;WertB&lt;/option&gt; &lt;option value="3"&gt;WertC&lt;/option&gt;&lt;/select&gt;&lt;/p&gt; &lt;input type="submit" value="Save" /&gt; &lt;/form&gt; &lt;/body&gt;</pre>	<a href="#">Selection.html</a>		
Selection																									
Select:																									
<WertA >																									
<b>&lt;-</b>	Save																								
Selection																									
Select:																									
<WertB >																									
<b>&lt;-</b>	Save																								
<table border="1"> <tr><th colspan="2">SubmitButton 44</th></tr> <tr><td>The quick brown fox jumps over the lazy dog.</td><td></td></tr> <tr><td></td><td>Abc</td></tr> <tr><td><b>&lt;C</b></td><td>Options</td></tr> </table>	SubmitButton 44		The quick brown fox jumps over the lazy dog.			Abc	<b>&lt;C</b>	Options	<table border="1"> <tr><th colspan="2">SubmitButton</th></tr> <tr><td></td><td>Search</td></tr> <tr><td></td><td></td></tr> <tr><td>Back</td><td>OK</td></tr> </table>	SubmitButton			Search			Back	OK	<pre>&lt;body&gt; &lt;form method="get" action="edit_result.jsp"&gt; &lt;textarea name="s1"&gt; The quick brown fox jumps over the lazy dog. &lt;/textarea&gt; &lt;input type="submit" value="Search"/&gt; &lt;/form&gt; &lt;/body&gt;</pre>	<a href="#">SubmitButton.html</a>						
SubmitButton 44																									
The quick brown fox jumps over the lazy dog.																									
	Abc																								
<b>&lt;C</b>	Options																								
SubmitButton																									
	Search																								
Back	OK																								
<table border="1"> <tr><th colspan="2">TextArea 44</th></tr> <tr><td>The quick brown fox jumps over the lazy dog.</td><td></td></tr> <tr><td></td><td>Abc</td></tr> <tr><td><b>&lt;C</b></td><td>Options</td></tr> </table>	TextArea 44		The quick brown fox jumps over the lazy dog.			Abc	<b>&lt;C</b>	Options	<table border="1"> <tr><th colspan="2">TextArea</th></tr> <tr><td></td><td>Send</td></tr> <tr><td></td><td></td></tr> <tr><td>Back</td><td>OK</td></tr> </table>	TextArea			Send			Back	OK	<pre>&lt;body&gt; &lt;form method="get" action="edit_result.jsp"&gt; &lt;textarea name="s1"&gt; The quick brown fox jumps over the lazy dog. &lt;/textarea&gt; &lt;input type="submit" value="Send"/&gt; &lt;/form&gt; &lt;/body&gt;</pre>	<a href="#">TextArea.html</a>						
TextArea 44																									
The quick brown fox jumps over the lazy dog.																									
	Abc																								
<b>&lt;C</b>	Options																								
TextArea																									
	Send																								
Back	OK																								
<table border="1"> <tr><th colspan="2">Radiobutton</th></tr> <tr><td>Radio 1</td><td><input type="radio"/></td></tr> <tr><td>Radio 2</td><td><input checked="" type="radio"/></td></tr> <tr><td>Radio 3 with lon...</td><td><input type="radio"/></td></tr> <tr><td>Send</td><td>OK</td></tr> </table>	Radiobutton		Radio 1	<input type="radio"/>	Radio 2	<input checked="" type="radio"/>	Radio 3 with lon...	<input type="radio"/>	Send	OK		<pre>&lt;body&gt; &lt;form method="get" action="radio_result.html"&gt; &lt;p&gt;Radio 1&lt;input type="radio" name="r1" value="1"/&gt; Radio 2&lt;input type="radio" name="r1" value="2" checked="checked" /&gt; Radio 3 with long text&lt;input type="radio" name="r1" value="3"/&gt; &lt;/p&gt; &lt;input type="submit" value="Send" /&gt; &lt;/form&gt; &lt;/body&gt;</pre>	<a href="#">Radiobutton.html</a>												
Radiobutton																									
Radio 1	<input type="radio"/>																								
Radio 2	<input checked="" type="radio"/>																								
Radio 3 with lon...	<input type="radio"/>																								
Send	OK																								

<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">Checkbox</p> <p>Check 1 <input checked="" type="checkbox"/></p> <p>Check 2 <input checked="" type="checkbox"/></p> <p>Check 3 with lon...<input checked="" type="checkbox"/></p> <hr/> <p>Send <span style="float: right;">OK</span></p> </div>	<pre>&lt;body&gt; &lt;form method="get" action="checkbox_result.html"&gt; &lt;p&gt;Check 1&lt;input type="checkbox" name="C1" checked="checked"/&gt; Check 2&lt;input type="checkbox" name="C2" /&gt; Check 3 with long text&lt;input type="checkbox" name="C3" checked="checked"/&gt;&lt;/p&gt; &lt;input type="submit" value="Send" /&gt; &lt;/form&gt; &lt;/body&gt;</pre>	<a href="#">Checkbox.html</a>		
<div style="background-color: black; color: white; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 5px;"> <p style="text-align: center;">MakeACall</p> <p>To make a call, just press the right softkey or the send key. &gt;0287191-2526</p> <hr/> <p style="text-align: center;">← Call Back Dial</p> </td> <td style="width: 50%; padding: 5px;"> <p style="text-align: center;">Dial Number</p> <p style="text-align: center; font-size: 1.2em;">02871912526</p> </td> </tr> </table> </div>	<p style="text-align: center;">MakeACall</p> <p>To make a call, just press the right softkey or the send key. &gt;0287191-2526</p> <hr/> <p style="text-align: center;">← Call Back Dial</p>	<p style="text-align: center;">Dial Number</p> <p style="text-align: center; font-size: 1.2em;">02871912526</p>	<pre>&lt;body&gt; &lt;p&gt;To make a call, just press the right softkey or the send key. &lt;a href="wtai://wp/mc;02871912526"&gt;02871 91-2526&lt;/a&gt; &lt;/p&gt; &lt;/body&gt;</pre>	<a href="#">MakeACall.html</a>
<p style="text-align: center;">MakeACall</p> <p>To make a call, just press the right softkey or the send key. &gt;0287191-2526</p> <hr/> <p style="text-align: center;">← Call Back Dial</p>	<p style="text-align: center;">Dial Number</p> <p style="text-align: center; font-size: 1.2em;">02871912526</p>			

<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">CopyToDir</p> <p>To copy the number to the directory, press the right softkey. &gt;02871 9186477</p> <hr/> <p style="text-align: center;">← Copy To... Back OK</p> </div>	<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">Directory</p> <p style="text-align: center;">&lt;New Entry&gt;</p> <hr/> <p style="text-align: center;">Back OK</p> </div>	<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">New Entry</p> <p style="text-align: center; font-size: 1.2em;">...8719186477</p> <p style="text-align: center;">Copy number to:</p> <p style="text-align: center;">←    →</p> <hr/> <p style="text-align: center;">Back OK</p> </div>	<pre>&lt;body&gt; &lt;p&gt;To copy the number to the directory, press the right softkey. &lt;a href="wtai://wp/ap;028719186477"&gt;02871 9186477&lt;/a&gt; &lt;/p&gt; &lt;/body&gt;</pre>	<a href="#">CopyToDir.html</a>
<div style="background-color: black; color: white; padding: 5px;"> <p style="text-align: center;">New Entry</p> <p style="text-align: center;">First Name:</p> <hr/> <p style="text-align: center;">Surname:</p> <hr/> <p style="text-align: center;">Phone (Home):</p> <p style="text-align: right;">Abc</p> <p style="text-align: center;">&lt;C Save</p> </div>				



Documents :

<a href="#">xhtml-gp http.pdf</a>	<a href="#">xhtml-gp uas.pdf</a>	<a href="#">xhtml-gp 2.1.pdf</a>
<ul style="list-style-type: none"> <li>1 Introduction</li> <li>1.1 Purpose of the Document</li> <li>1.2 Validity of the document</li> <li>2 HTTP reference</li> <li>2.1 Authorization</li> <li>2.2 Redirection</li> <li>2.3 HTTP Methods</li> <li>2.4 HTTP Parameters</li> <li>2.4.1 Header Parameters</li> <li>2.4.2 URL Parameters</li> </ul>	<ul style="list-style-type: none"> <li>1 Introduction</li> <li>1.1 Purpose of the Document</li> <li>1.2 Validity of the document</li> <li>2 XHTML Reference</li> <li>2.1 Overview</li> <li>2.2 General principles</li> <li>2.2.1 Basics</li> <li>2.2.2 Navigation</li> <li>2.3 Info Displays</li> <li>&lt;title&gt; / &lt;p&gt; / &lt;a&gt;</li> <li>2.4 Menus and Lists</li> <li>&lt;ul&gt; / &lt;li&gt;</li> <li>2.5 Forms</li> <li>&lt;form&gt; / &lt;input&gt; / &lt;select&gt; / &lt;option&gt; / &lt;textarea&gt;</li> <li>3 HTTP reference</li> <li>3.1 Digest Authentication</li> <li>4 Device Capabilities</li> <li>4.1 Handsets</li> <li>4.1.1 Display Capabilities</li> <li>4.1.2 Fonts and Character sets</li> <li>4.1.3 Form capabilities</li> <li>4.2 Base Stations</li> <li>5 Annex</li> <li>A. Fonts</li> <li>A.1. Basic Latin</li> <li>A.2. Latin 1 Supplement</li> <li>A.3. Special Characters</li> </ul>	<ul style="list-style-type: none"> <li>1 Introduction</li> <li>1.1 Purpose of the Document</li> <li>1.2 Validity of the document</li> <li>2 XHTML Reference</li> <li>2.1 XHTML-GP Markup Rules</li> <li>2.2 Prologue Components</li> <li>2.2.1 Xml declaration</li> <li>2.2.2 Doctype declaration</li> <li>3 XHTML-GP Reference</li> <li>3.1 Overview</li> <li>3.1.1 Elements and Attributes</li> <li>3.1.2 CSS Styles</li> <li>3.2 Classification of Elements</li> <li>3.2.1 Block Elements</li> <li>3.2.2 Inline Elements</li> <li>3.3 Structure and Header Elements</li> <li>&lt;html&gt; / &lt;head&gt; / &lt;title&gt; / &lt;body&gt; / &lt;meta&gt;</li> <li>3.4 Text Elements</li> <li>&lt;p&gt; / &lt;br&gt;</li> <li>3.5 Multimedia elements</li> <li>&lt;object&gt;</li> <li>3.6 Hypertext</li> <li>&lt;a&gt;</li> <li>3.7 List</li> <li>&lt;ul&gt; / &lt;li&gt;</li> <li>3.8 Basic Forms</li> <li>&lt;form&gt; / &lt;input&gt; / &lt;select&gt; / &lt;option&gt; / &lt;textarea&gt;</li> </ul>

Demo: [DECT\\_XHTML.zip](#)

Unzip and copy the folder to a webserver and add the URL : <http://<IP-webserver>/folder/menu.html> to Info-Service settings.