

KPNéén

KPN één

About KPN één

KPN ÉÉN is een oplossing voor totaalcommunicatie, die meegroeit met de ontwikkeling van uw bedrijf. U kunt KPN ÉÉN gefaseerd inzetten door stap-voor-stap uw dienstverlening uit te breiden en per dienst over te stappen. U profiteert direct van een aantal voordelen, zoals flexibiliteit in uw communicatieoplossing en betere bereikbaarheid.

Deze oplossing is geschikt voor bedrijven van 1 tot 150 medewerkers. KPN ÉÉN is een integrale oplossing voor uw ICT-omgeving. Een oplossing die bovendien makkelijk schaalbaar is en centraal beheersbaar tegen een vast maandelijks bedrag.

Platform

KPN één is using the [Broadsoft](#) platform.
[Autoprovisioning manual](#)



Interop
Premium

See below for a list with supported features when using the Gigaset PRO IP Devices on the providers network.



Feature	Maxwell 4 AP-Gigaset-Maxwell	Maxwell 3 AP-Gigaset-Maxwell	Maxwell 2 AP-Gigaset-Maxwell	Maxwell basic AP-Gigaset-Maxwell	N870 IP OT-Gigaset-Nx70	N670 IP OT-Gigaset-Nx70	N720 IP AP-Gigaset-N720	N510 IP AP-Gigaset-N300-N510	DX800 All in One
Software release:	3.13.13	3.13.13	3.13.13	3.13.13	2.23.0	2.23.0	70.113	42.248	41.00-96.00.00
Basic Call	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Calling line (CLIP)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Connected line (COLP)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Anonymous call	_2	_2	_2	_2	_2	_2	_2	_2	_2
Do Not Disturb (XSI / *78/*79)	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁶	Yes ⁶	Yes ⁶
Message waiting	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
Call list/history local	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Call list/history basic (XSI)	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	-	-	-
Call list/history enhanced (XSI)	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	-	-	-
Voice mail deposit/retrieval	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Call waiting	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Call Hold / Toggle	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Music on Hold	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Call forward CFU (XSI / *72/*73)	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁶	Yes ⁶	Yes ⁶
Call forward CFNR (XSI / *92/*93)	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁶	Yes ⁶	Yes ⁶
Call forward CFB (XSI / *90/*91)	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁵	Yes ⁶	Yes ⁶	Yes ⁶
Call Transfer attended	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Call Transfer unattended	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Call Transfer blind	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-
DTMF (RFC2833)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Conference 3pty	Yes	Yes	Yes	Yes	Yes	Yes	-	Yes	Yes
BLF Busy / Idle indication	Yes	Yes	Yes	Yes ³	-	-	-	-	-
Automatic BLF configuration	Yes	Yes	Yes	Yes ³	-	-	-	-	-
Call pick-up direct (* 97 ext.)	Yes	Yes	Yes	Yes	Yes	Yes	Yes ⁶	Yes ⁶	Yes ⁶
Call pick-up group (* 98)	Yes	Yes	Yes	Yes	Yes	Yes	Yes ⁶	Yes ⁶	Yes ⁶
Call pick-up BLF	Yes	Yes	Yes	Yes ³	-	-	-	-	-
Call completed elsewhere	_1	_1	_1	_1	_1	_1	_1	_1	_1
Phonebooks (XSI)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
Auto provisioning	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	_2

-	Not supported by device
_1	Not supported by the platform
_2	Platform feature
3	Via key extension module
4	Via Feature Key Sync
5	Via XSI
6	Via FAC

Anonymous call can be activated in the network using the code: *67 <Phone number>, *31 for always enabled and disable with #31 For more detailed information, [click here](#).
For a step by step auto provisioning manual, [click here](#).

Per 16-10-2017 zijn Maxwell toestellen officieel gecertificeerd. Het AP profiel (AP-Gigaset-Maxwell) is beschikbaar.

Per 12-05-2016 is de N720 officieel gecertificeerd. Het AP profiel is beschikbaar.

Per 29-11-2013 is de N510 officieel gecertificeerd. Het AP profiel is beschikbaar.

Namen gecertificeerde profielen:

AP-Gigaset-Maxwell
AP-Gigaset-N300-N510
AP-Gigaset-N720