

Gigaset PRO - Public Wiki Home



[Products](#) [Documents](#) [Interop](#) [Firmware](#) [FAQ](#) [Support](#) [Team](#)
[Viewer](#)

N870 IP PRO

The scalable DECT IP multicell system for seamless mobile communication in SMB and beyond. Enabling freedom of movement.



Latest News

Recently Updated

[FAQ Nx70 - AML Partners](#)

updated about 7 hours ago

[view change](#)

[FAQ Nx70 - Novalink](#)

updated about 7 hours ago

[view change](#)

[Novalink.png](#)

attached about 7 hours ago

[novaalart.png](#)

attached about 9 hours ago

[Cisco](#)

updated about 14 hours ago

[view change](#)

[Connecting Gigaset N870 to CUCM via Anynode.](#)

[docx](#)

attached about 14 hours ago

[error.png](#)

attached about 14 hours ago

[N870\(E\)/N670 Interop](#)

updated yesterday at 5:16 PM

[view change](#)

[Cisco_Logo1.png](#)

attached yesterday at 4:24 PM

[N870/N670 - Release 2.48.0 \(2.47.0 patch\)](#)

updated Jun 23, 2022

[view change](#)

Alarming, Messaging and Location (AML)



Alarm systems are used to inform users about events, which

Alarm systems can send messages, request for an user response and even ask the location of the DECT handset. With the advanced message options, alarm servers can set per message: text, icons, colors, softkeys, priority and many more.

See: [FAQ Nx70 - Alarming / Messaging / Location](#)

CORDLESS

> [N870 IP PRO](#)

> [N670 IP PRO](#)

> [N720](#)

> [N510 IP PRO](#)

HANDSETS

> [SL800H PRO](#)

> [S700H PRO](#)

> [R700H PRO](#)

> [SL750H PRO](#)

> [S650H PRO](#)

> [R650H PRO](#)

> [Maxwell C](#)

DESKTOP

> [Maxwell Basic](#)

> [Maxwell 2](#)

> [Maxwell 3](#)

> [Maxwell 4](#)

> [Maxwell Expansion Module](#)

SYSTEMS

> [DX800A PRO](#)

GIGASET PRO

> [About us](#)

> [Contact us](#)

> [Newsroom](#)