# Interop T300/T500 Infopact IPDialtone

## Infopact IPDialtone

| Feature | |
|---|---|
| **Outgoing Calls** | Yes |
| **Incoming Calls** | Yes |
| **CLIP incoming** | Yes |
| **CLIP outgoing** | Yes |
| **Call Forwarding** | Yes |
| **Call Transfer** | Yes |
| **Call Waiting** | Yes |
| **DTMF** | Yes |
| **Anonymous Call** | Yes |
| **A-number forwarding** | Yes |

- Infopact IPDialtone
  - Gigaset T300/T500 settings.
    - Provider settings:
    - Number Area settings:


> **Important**
>
> Infopact needs to be informed that a Gigaset PBX will be used, they will then activate the Gigaset Profile.

## Gigaset T300/T500 settings.

In the Gigaset PBX go to "Configuration" - "Lines" - "Lines" and click on: **New Line**

### Provider settings:

Give the Line an unique name, insert the Registration user name and Password.

In the Provider pull-down list, select "new.."




## Number Area settings:

Just add the telephone numbers for this SIP trunk. The Country Code and Area Code can be filled in, if different than the default setting.


InfoPact
No.: 1
Provider Connection
Country Code:
Area Code:
Number Type
Number
Number Area
Number Block
0031(88)
12345
60
to
69
Provider
Number Area
Extended