

Interop T300/T500 Motto communications

Motto Communications

Feature	
Outgoing Calls	Yes
Incoming Calls	Yes
CLIP incoming	Yes
CLIP outgoing	Yes
Call Forwarding	Yes
Call Transfer	Yes
Call Waiting	Yes
DTMF	Yes
Anonymous Call	Yes
A-number forwarding	No



MOTTO
COMMUNICATIONS

- [Motto Communications](#)
 - [Gigaset T300/T500 settings.](#)
 - [Provider settings:](#)
 - [Number Area settings:](#)

Gigaset T300/T500 settings.

In the Gigaset PBX go to "Configuration" - "Lines" - "Lines" and click on: **New Line**

Provider settings:

Give the Line an unique name, insert the Registration user name and Password.

Status	Line Name	Line Number	Line type:
▼	✓ MottoVoIP	No.: 1	Provider Connection
Provider: MottoVoIPconf Provider Status: Registered Authentication: ☒ yes ☐ no User Name: <username> Password: <password>			

Provider
Number Area
Extended

In the Provider pull-down list, select "new.."

Edit Provider

Provider Name:

Line Protocol
SIP

Line Configuration

type:

dtmfmode:

auth mode:

auth:

nat:

allow:

insecure:

port:

defaultip:

rtpholdtimeout:

fromdomain:

host:

permit:

deny:

canreinvite:

disallow:

progressinband:

qualify:

rtptimeout:

mask:

fromuser:

Number Display:

type:

format incoming:

format outgoing:

Number Area settings:

Just add the telephone numbers for this SIP trunk. The Country Code and Area Code can be filled in, if different than the default setting.

Status	Line Name	Line Number	Line type:									
	MottoVoIP	No.: 1	Provider Connection									
Country Code: Area Code: 314												
<table><tr><th>Number Type</th><th>Number</th><th>Number Area</th></tr><tr><td>Single Number </td><td>0031(314) </td><td> A B C </td></tr><tr><td colspan="2"></td><td> </td></tr></table>				Number Type	Number	Number Area	Single Number	0031(314)	A B C			
Number Type	Number	Number Area										
Single Number	0031(314)	A B C										
ProviderNumber AreaExtended												