

# DExxx - XML-Based Central Phone Book

## Scope

The document hereby is intending to assist administrators in creating an XML-based phone book. This XML-based phone book, is placed in a HTTP server and is capable to be downloaded by the Gigaset DEXXX-series phones.

To create the phone book that does fit the Gigaset DE900/DE700 and DE410/DE310, please always utilize the template which is provided by Gigaset and follow the field description to enter the right value for each field.

For the reason that the Gigaset DE900/DE700 has a more advanced phonebook than the DE410/DE310, each model gets its own template. Therefore, in this document, it distributes the field description into two sections – one for DE900/DE700 and the other part for DE410/DE310.

## Field Description – DE900/DE700

The template “de900.xml” contains the required format for DE900/DE700. It starts with the headline <?xml version="1.0" encoding="UTF-16"?> and all entries are enclosed by <AddressBook> and </AddressBook>. Each entry is enclosed by <Contact> and </Contact>. Each field is enclosed by <FieldName> and </FieldName>. Following is the field description.

### Important

Please do not just copy/paste the texts of the template by text editor to create your own phone book. It may create a non-utf16-encoding phone book that is not accepted by DE900/DE700. We strongly recommend always opening the template by a preferred text editor and editing it to create your own phone book.

Please also make sure that your text editor is not changing default End-of-line format, which should remain "UNIX" type. In Notepad++ editor check: Edit -> EOL Conversion -> UNIX/OSX Format.

1. **UID** (max. in 3 digits / 1~500)  
It's a unique identify of each entry. Please always give the first entry the value “1”, and then increasing by 1 for the next. For example, a phone book contains 100 entries. The UID of the entries are starting from 1 to 100.
2. **First Name** (max. in 16 characters)
3. **Surname** (max. in 16 characters)
4. **Email** (max. in 128 characters) For better understanding by user, please always give it the right e-mail format, e.g. [person@domain.com](mailto:person@domain.com).
5. **WebURL** (max. in 128 characters) For better understanding by user, please always give it the right URL format, e.g. [www.personal.com](http://www.personal.com)
6. **JobTitle** (max. in 128 characters)
7. **Company** (max. in 128 characters)

8. **Address** (max. in 128 characters) It is the field “Street” in local contact.
9. **City** (max. in 128 characters)
10. **Zip** (max. in 128 digits)
11. **Country** (max. in 128 characters)
12. **Birthday**, It must be in the date format dd.mm.yyyy, e.g.  
01.01.1950.
13. **Info** (max. in 128 characters)  
The content must be a string enclosed by <![CDATA[ and ]]>. For example, <Info><![CDATA[This is a test template.]]></Info>. The string “This is a template” is expected to be shown in local phone book.
14. **TimeZone**, it is a number from 0 to 25. See Table 1.
15. **Fax** (max. in 63 characters)
16. **Phone**  
DE900/DE700 supports 4 types of phone number. Each type allows max. 2 phone numbers.
  - a. **phonenumbers** (max. in 63 characters)
  - b. **accountindex** (either 1 or 2 for each type)
  - c. **type**
    - 0 Office
    - 1 Home
    - 2 Mobile
    - 3 URL
17. **Default\_Phone**  
Pick up one from the valid phone numbers of this entry and give it the same settings in below.
  - a. **type**
    - 0 Office
    - 1 Home
    - 2 Mobile
    - 3 URL
  - b. **number**  
One of the valid phone numbers of this entry.

## Field Description – DE410/DE310

The template “de410.xml” contains the required format for DE410/DE310. It starts with the headline <?xml version='1.0' encoding='UTF-8'?> and all entries are enclosed by <AddressBook> and </AddressBook>. Each entry is enclosed by <Contact UID="xxx"> and </Contact>. Each field is enclosed by <FieldName> and </FieldName>. Following is the field description.

1. **UID** (max. in 3 digits / 1~200)  
It's a unique identify of each entry. Please always give the first entry the value “1”, and then increasing by 1 for the next. For

example, a phone book contains 100 entries. The UID of the entries are starting from 1 to 100.

2. **First Name** (max. in 16 characters)

3. **Surname** (max. in 16 characters)

4. **Phone**

DE410/DE310 supports 3 types of phone number. Each type allows max. 2 phone numbers.

a. **PhoneNumber** (max. in 63 characters)

b. **Type**

1 Office

2 Home

3 Mobile

c. **Index** (either 1 or 2 for each type)

5. **Default\_Num** (one of 0~6)

Pick up one from the valid phone numbers of this entry and give the corresponding number.

0 the first office number

1 the second office number

2 the first home number

3 the second home number

4 the first mobile number

5 the second mobile number

**Table 1:**

0: (GMT-12:00) Enewetak, Kwajalein
1: (GMT-11:00) Midway Island, Samoa
2: (GMT-10:00) Hawaii
3: (GMT-09:00) Alaska
4: (GMT-08:00) Pacific Time
5: (GMT-07:00) Arizona, Mountain Time
6: (GMT-06:00) Central Time, Mexico City
7: (GMT-05:00) Eastern Time, Indiana
8: (GMT-04:00) Atlantic Time
9: (GMT-03:00) Brasilia, Buenos Aires
10: (GMT-02:00) Mid-Atlantic
11: (GMT-01:00) Azores, Cape Verde Is.
12: (GMT) GMT, Dublin, London
13: (GMT+01:00) Amsterdam, Berlin, Rome
14: (GMT+02:00) Athens, Cairo, Israel
15: (GMT+03:00) Baghdad, Kuwait, Moscow
16: (GMT+04:00) Abu Dhabi, Muscat
17: (GMT+05:00) Islamabad, Karachi
18: (GMT+06:00) Dhaka, Colombo
19: (GMT+07:00) Bangkok, Hanoi, Jakarta
20: (GMT+08:00) Beijing, Singapore, Taipei
21: (GMT+09:00) Osaka, Tokyo, Seoul
22: (GMT+10:00) Melbourne, Sydney, Guam
23: (GMT+11:00) Magadan, Solomon Is.
24: (GMT+12:00) Auckland, Wellington
25: (GMT+13:00) Nukualofa

- Scope

- Field Description – DE900  
/DE700
- Field Description – DE410  
/DE310



[Download example](#)