

FAQ Maxwell - Distinctive Ringing

Supported alert headers.

Only local ringtones can be used. Download of ringtones is not supported.

From Software 2.11.6, the Alert header can be changed to match the header sent by the platform. This offers maximum flexibility because you can change the header to match what the platform is sending.

Valid for Maxwell

Basic

2

3

4

Type:	Alert Header (Default value)
	Alert info:
Internal	<http://www.notused.com>;info=alert-internal
External	<http://www.notused.com>;info=alert-external
Group	<http://www.notused.com>;info=alert-group
Door	<http://www.notused.com>;info=alert-door
Optional	

SETTINGS

STATUS

Network

Telephony

Online Directories

Online Services

Desk Phone

Main Menu

Ringtones

Display

Pictures

Message Notification

Keys and LEDs

Phone

Events

Call History

Web Configurator

Ringtones

Default ringtone

Gigaset

Play

Use for all calls

Connection

Ringtone

Twelve

Play

External calls

<http://www.notused.invalid>

Internal calls

Gigaset

Play

<http://www.notused.com>;

Group calls

Gigaset

Play

<http://www.notused.com>;

Door Station

Gigaset

Play

<http://www.notused.com>;

Optional

Gigaset

Play

Gigaset



Web-interface: Settings - Desk Phone - Ringtones

SIP.Account.0-3.Ringtone.External	06_Gigaset.wav		
	Name in UI/Web-UI	Filename	From software 2.24.12
	01	01.wav	01.mp3 (or .wav)
	02_Memo	02_Memo.wav	02_Memo.mp3 (or .wav)
	03_Vibe	03_Vibe.wav	03_Vibe.mp3 (or .wav)
	04_Listen	04_Listen.wav	04_Listen.mp3 (or .wav)
	05_Down	05_Down.wav	05_Down.mp3 (or .wav)
	06_Gigaset	06_Gigaset.wav	06_Gigaset.mp3 (or .wav)
	07_Egg	07_Egg.wav	07_Egg.mp3 (or .wav)
	08_Peak	08_Peak.wav	08_Peak.mp3 (or .wav)
	09_Step	09_Step 3.wav	09_Step 3.mp3 (or .wav)
	10_P Cut	10_P Cut.wav	10_P Cut.mp3 (or .wav)
	11_Set	11_Set.wav	11_Set.mp3 (or .wav)
	12_Sim	12_Sim.wav	12_Sim.mp3 (or .wav)
	13_Tone one	13_Tone one.wav	13_Tone one.mp3 (or .wav)
	14_Dunken	14_Dunken.wav	14_Dunken.mp3 (or .wav)
	15_Piano	15_Piano.wav	15_Piano.mp3 (or .wav)
	16_Officebuffer	16_Officebuffer.wav	16_Officebuffer.mp3 (or .wav)
	17_Twelve	17_Twelve.wav	17_Twelve.mp3 (or .wav)
	18_Flightzone	18_Flightzone.wav	18_Flightzone.mp3 (or .wav)
	19_Waste	19_Waste.wav	19_Waste.mp3 (or .wav)
	20_Smooth G	20_Smooth_G.wav	20_Smooth_G.mp3 (or .wav)
	21_Green Tea	21_Green Tea.wav	21_Green Tea.mp3 (or .wav)
	22_Evolve 1	22_Evolve 1.ogg	Evolve 1.ogg
	23_Evolve 2	23_Evolve 2.ogg	Evolve 2.ogg
	Bellcore 1	bellcore_dr1.ogg	bellcore_dr1.ogg
	Bellcore 2	bellcore_dr2.ogg	bellcore_dr2.ogg
	Bellcore 3	bellcore_dr3.ogg	bellcore_dr3.ogg
	Bellcore 4	bellcore_dr4.ogg	bellcore_dr4.ogg
	Bellcore 5	bellcore_dr5.ogg	bellcore_dr5.ogg
SIP.Account.0-3.Ringtone.HeaderExternal	< http://www.notused.com >;info=alert-external		
SIP.Account.0-3.Ringtone.Internal	/data/media/ringtones/06_Gigaset.wav		
SIP.Account.0-3.Ringtone.HeaderInternal	< http://www.notused.com >;info=alert-internal		
SIP.Account.0-3.Ringtone.Group	/data/media/ringtones/06_Gigaset.wav		
SIP.Account.0-3.Ringtone.HeaderGroup	< http://www.notused.com >;info=alert-group		
SIP.Account.0-3.Ringtone.Doorstation	/data/media/ringtones/06_Gigaset.wav		
SIP.Account.0-3.Ringtone.HeaderDoorstation	< http://www.notused.com >;info=alert-door		

SIP.Account.0-3.Ringtone.Optional	
SIP.Account.0-3.Ringtone.HeaderOptional	

Example:

```
<param name="SIP.Account.0.Ringtone.HeaderExternal" value="&lt;http://www.notused.invalidtld&gt;;info=external"/>
```

If you use the special characters like:

Character	XML value
"	"
'	'
<	<
>	>
&	&

Then these need to be replaced with the XML value:

Not correct:

```
<param name="SIP.Account.0.Ringtone.HeaderExternal" value="<http://127.0.0.1/Bellcore-dr2"/>
<param name="SIP.Account.1.Ringtone.HeaderExternal" value="<http://127.0.0.1/Bellcore-dr2"/>
<param name="SIP.Account.2.Ringtone.HeaderExternal" value="<http://127.0.0.1/Bellcore-dr2"/>
<param name="SIP.Account.3.Ringtone.HeaderExternal" value="<http://127.0.0.1/Bellcore-dr2"/>
```

Correct:

```
<param name="SIP.Account.0.Ringtone.HeaderExternal" value="&lt;http://127.0.0.1/Bellcore-dr2&gt;"/>
<param name="SIP.Account.1.Ringtone.HeaderExternal" value="&lt;http://127.0.0.1/Bellcore-dr2&gt;"/>
<param name="SIP.Account.2.Ringtone.HeaderExternal" value="&lt;http://127.0.0.1/Bellcore-dr2&gt;"/>
<param name="SIP.Account.3.Ringtone.HeaderExternal" value="&lt;http://127.0.0.1/Bellcore-dr2&gt;"/>
```

Hide Distinctive ringing

If the platform does not support Distinctive ringing, we have implemented the option to hide the Ringtones that are visible in the phone menu and in the web-interface that can't be used when the platform does not support it.

- External Calls
- Internal Calls
- Group Calls
- Doorstation.

Parameter	Values
PhoneUI.Settings.DistinctiveRinging	1 (Default) = Show all ringtones in MMI and web-interface 0 = Hide the Distinctive ringtones (External, Internal, Group, Doorstation) in MMI and web-interface. Used when provider does not support Distinctive ringtone.

Example: `<param name="PhoneUI.Settings.DistinctiveRinging" value="0"/>`