42com

42com

About 42com

42com Telecommunication GmbH was founded 2002 in Berlin. A significant year in the development of the European telecommunication market that had just recently created a sensation by the initiation of the so-called "Telecom Package". The new laws for harmonization of electronic communications networks outlined new rules while lowering the entrance barriers for free providers and allowing open competition.

One of the obstacles that business newcomers must overcome is the acquisition of expensive management and accounting software. Brothers and executive partners Thomas and Alexander Reinig from Berlin were aware of this demand and developed software that offers all of the sought-after features. The management and accounting platform allows users to make, control, manage and analyze VoIP calls. No purchase of this software is required, and does not need to be installed on your own network. Instead, the required modules are available on a rental basis. 42com was already using cloud technology - long before this term became established. This innovative custom development for web-based telecommunications has become the foundation for a range of successful applications.

Documentation and information:

Find here the support page

See below for a list with supported features when using the Gigaset PRO IP Devices on the providers network.

Supported Features





Advanced Interop

Feature	Maxwell 10	Maxwell 3	Maxwell 3 Basic	N720 IP	N510 IF
Software release:	2.6.32	2.16.6	2.16.6	108	243
Basic Call	Yes	Yes	Yes	Yes	Yes
Calling line (CLIP)	Yes	Yes	Yes	Yes	Yes
Connected line (COLP)	_1	_1	_1	_1	_1
Anonymous call	_2	_2	_2	_2	_2
Do Not Disturb	Yes	Yes	Yes	-	-
Message waiting	Yes	Yes	Yes	Yes	Yes
Call list/history	Yes	Yes	Yes	Yes	Yes
Voice mail deposit/retrieval	_1	_1	_1	_1	_1
Call waiting	Yes	Yes	Yes	Yes	Yes
Call Hold / Toggle	Yes	Yes	Yes	Yes	Yes
Call forward (CFU)	_2	_2	_2	_2	_2
Call forward (CFNR)	_2	_2	_2	_2	_2
Call forward (CFB)	_2	_2	_2	_2	_2
Call Transfer attended	Yes	Yes	Yes	Yes	Yes
Call Transfer early attended	Yes	Yes	Yes	Yes	Yes
Call Transfer unattended	Yes	Yes	Yes	-	-
Call completed elsewhere	Yes	Yes	Yes	Yes	Yes
DTMF (RFC2833)	Yes	Yes	Yes	Yes	Yes
Conference 3pty	Yes	Yes	Yes	-	Yes
BLF Busy / Idle indication	Yes	Yes	Yes ³	-	-
Call pick-up direct	Yes	Yes	Yes	Yes	Yes
Call pick-up group	Yes	Yes	Yes	Yes	Yes
Call pick-up BLF	Yes	Yes	Yes ³	-	-
Auto provisioning	Yes	Yes	Yes	Yes	Yes
SIP Security					
SIPS		_2	_2	-	-
SIP via TLS		Yes	Yes	-	-
SRTP		Yes	Yes	-	_


	-	Not supported by device
-	_1	Not supported by the platform
	_2	Platform feature via FAC
	3	Via key extention module

code	feature		
31* number	Anonymous call to this number		
32 number	Toggle Code: Enables/Disabled anonymous call for the next call On or Off (Announcement)		
*32	Toggle Code: Enables/Disable anonymous call for all calls On/Off (Announcement)		
#32	Toggle Code: Enables/Disable anonymous call for all calls On/Off (Announcement)		
*35	Toggle Code: Hotdesking to login/out on a device		
35[int]	Toggle Code: Hotdesking to login/out on a device		
35[int]*[pin]	Toggle Code: Hotdesking to login/out on a device		
*100 / #100	Toggle Code: Login/off in waiting queue, dependent on your previous state.		
*101 / #101	Login/off in all waiting queues.		
*102 / #102	Change Waiting queue status for all queues to "break"		
*103 / #103	Logoff from all waiting queues.		
1233	Voicemail box of user		
*8	Pick up first ringing		
*8[extension number]	Directed pickup of [Extension]		
*8[group number]	Group pickup		
*96 / #96	Voicemail box of user		
*[xx]	Toggle Code: To activate/deactivate the dial plan with number xx		
1233 [vmbox-nr]	Listen to voicemail messages of voicemail box number [vmbox-nr]		
*96 [vmbox-nr]	r] Listen to voicemail messages of voicemail box number [vmbox-nr]		
#96 [vmbox-nr]	Listen to voicemail messages of voicemail box number [vmbox-nr]		


Auto provisioning

The Gigaset N510, N720, Maxwell 10, Maxwell 3 and Maxwell basic are released behind the Kwebbl platform including auto provisioning.


Go to Devices and click +Add and choose Gigaset pro:




Select the desired certified Gigaset pro product:



Enable auto-provisioning by clicking on No switch to change to Yes:



Enter the device MAC address and ID:



To finalize, click on next at the top.

When all steps are taken, like adding users and so on, the device will now automatically be added to the Gigaset pro redirect server.

Connect or restart the device and the device will auto-provisioned.