

RAP 2.1 List

The element indicates unordered list.

Type	Block Element		
Contents	One or more of the following elements:		
Attributes	attributes	values	description
		(Default are bolded)	
	(none)		
Examples	Example:		
	<pre><body> non-browsable text entry hyperlink </body></pre>		
	Example:		
	<pre><body> Choose region: Asia Europe America Call Helpdesk </body></pre>		

The element contains list item.

Type	List Item Element		
Contents	Any combination of text and the following elements: exactly one <a>, <p>, 		
Attributes	attributes	values	description
		(Default are bolded)	
	(none)		
Examples	Example:		
	<pre><body> 02146912426
20.07.2007 20:07 05956551531
10.07.2007 10:07 32687751531
12.01.2007 12:07 01371617556 </body></pre>		
	Example:		

```
<?xml version="1.0" encoding="utf-8"?>

<!DOCTYPE html PUBLIC "-//OMA//DTD XHTML Mobile 1.2//EN" "http://www.openmobilealliance.org/tech/DTD/xhtml-mobile12.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

    <title>Phonebook</title>

</head>

<body>

    <ul>

        <li> <a href="http://192.168.178.200/rap/Telephonebooks/Compagny/compagny.html">Compagny</a> </li>

        <li> <a href="http://192.168.178.200/rap/Telephonebooks/User/user.html">User</a> </li>

        <li> <a href="http://192.168.178.200/rap/Telephonebooks/Personal/personal.html">Personal</a> </li>

    </ul>

</body>
```