Interop IP devices sipcall

sipcall

About sipcall

Backbone Solutions AG was founded in 1998 and offers professional and high-quality solutions for connectivity and Internet telephony (VoIP).
In 2005, Backbone Solutions AG was one of the first providers in Switzerland to launch the voice-over-IP service sipcall, which subsequently developed into one of the leading providers of innovative Internet telephony services.
sipcall offers comprehensive VoIP telecommunication solutions for professional use for small to large companies and private individuals in Switzerland and Austria.
In close cooperation with leading telematics companies, sipcall realizes successful telecommunication services such as sipcall virtual pbx, the flexible telephone system in the sipcall cloud for SMEs and much more.
To date, over 40,000 customers have opted for a sipcall telephony solution.

See below for a list with supported features when using the Gigaset PRO IP Devices on the providers network.

	Feature Handsets Compatibility  S650H  R650H  SL750H  Maxwell C	DE310 / DE410 IP  DE410IP	DE700 / DE900 IP  DE900IP	N510 IP PRO  N510 IP	N720 IP PRO  N720 IP	DX800A PRO  DX800A	Maxwell 2,3,Basi  Maxwell 3
	Software Version MR55-6 Porta One 11 July 2018 tested with :	☐	☐	☑	☑	☑	☑
	Software release:	02.00.04	02.00.07	42.245	70.111	175	2.22.7
	Basic Call	Yes	Yes	Yes	Yes	Yes	Yes
	Calling line (CLIP)	Yes	Yes	Yes	Yes	Yes	Yes
	Connected line (COLP)	No	No	No	No	No	No
	Anonymous call	Yes	Yes	Yes	Yes	Yes	Yes
	Do Not Disturb	Yes	Yes	No	No	No	Yes
	Message waiting	Yes	Yes	Yes	Yes	Yes	Yes
	Call list/history	Yes	Yes	Yes	Yes	Yes	Yes
	Voice mail deposit /retrieval	Yes	Yes	Yes	Yes	Yes	No
	Call waiting	Yes	Yes	Yes	Yes	Yes	Yes
	Call Hold / Toggle	Yes	Yes	Yes	Yes	Yes	Yes
	Call forward (CFU)	Yes	Yes	Yes	Yes	Yes	Yes
	Call forward (CFNR)	Yes	Yes	Yes	Yes	Yes	Yes
	Call forward (CFB)	Yes	Yes	Yes	Yes	Yes	Yes
	Call Transfer attended	Yes	Yes	Yes	Yes	Yes	Yes
	Call Transfer unattended (Blind)	Yes*	Yes*	Yes	Yes	Yes	Yes
	Completion of Calls to Busy Subscriber (CCBS)	-	-	No	No	No	No
	DTMF (RFC2833)	Yes	Yes	Yes	Yes	Yes	Yes
	Conference 3pty	Yes	Yes	Yes	No	Yes	Yes
	BLF Busy / Idle indication	Yes	Yes	No	No	No	Yes
	Session Audit	-	-	No	-	No	No
	Call pick-up direct (* 8 extension)	Yes	Yes	No	No	Yes	Yes
	Call pick-up group (* 8)	Yes	Yes	No	No	Yes	Yes
	Call pick-up BLF	Yes	Yes	No	No	No	Yes
	Call completed elsewhere	No	No	No	No	No	No
	Auto provisioning	No	No	No	No	No	No
	UDP / TCP protocol			UDP	UDP	UDP	UDP
	Central Phonebook						

For unattended transfer the DE310/DE410 requires Firmware 02.00.04 or higher and DE700/DE900 requires firmware 02.00.07 or higher.

And Voip Settings -> Unattended call transfer set to Semi-attended

