

FAQ Maxwell - Broadsoft Phone books

Introduction

Broadsoft supports the following phone books:

1. Personal
2. Group
3. Group Common
4. Enterprise
5. Enterprise Common

Valid for Maxwell

Basic

2

3

4

Info: Phone book lookup for incoming/outgoing calls is available from software 2.20.5 or higher.

Search anywhere in name?

Yes

No

Lookup for incoming calls

Yes

No

Lookup for outgoing calls

Yes

No

Maxwell 2 & 3

Maxwell Basic

Configuration

You can enable / disable the Broadsoft phone books and give them an different name to match your customer requirements.

The Broadsoft phone books can only be used if the [XSI service](#) is configured and working.

Auto provisioning

This functionality is mostly enabled via Broadsoft auto provisioning, see below for the provisioning parameters.

Parameter	Description
Telephony.PhoneSystem.XSI.PersonalDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.PersonalDirectory.Name	Name of the personal Directory
Telephony.PhoneSystem.XSI.GroupDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.GroupDirectory.Name	Name of the Group Directory
Telephony.PhoneSystem.XSI.GroupCommonDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.GroupCommonDirectory.Name	Name of the Group Common Directory
Telephony.PhoneSystem.XSI.EnterpriseDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.EnterpriseDirectory.Name	Name of the Enterprise Directory
Telephony.PhoneSystem.XSI.EnterpriseCommonDirectory.Enabled	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.XSI.EnterpriseCommonDirectory.Name	Name of the Enterprise Common Directory
Telephony.PhoneSystem.Broadsoft.Lookup.Incoming	0 = Disabled 1 = Enabled
Telephony.PhoneSystem.Broadsoft.Lookup.Outgoing	0 = Disabled 1 = Enabled

Example:

```
<param name="Telephony.PhoneSystem.XSI.PersonalDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.PersonalDirectory.Name" value="Personal book"/>
<param name="Telephony.PhoneSystem.XSI.GroupDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.GroupDirectory.Name" value="Group book"/>
<param name="Telephony.PhoneSystem.XSI.GroupCommonDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.GroupCommonDirectory.Name" value="Group Common book"/>
<param name="Telephony.PhoneSystem.XSI.EnterpriseDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.EnterpriseDirectory.Name" value="Enterprise book"/>
<param name="Telephony.PhoneSystem.XSI.EnterpriseCommonDirectory.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.XSI.EnterpriseCommonDirectory.Name" value="Enterprise Common Book"/>
<param name="Telephony.PhoneSystem.XSI.SearchAnywhereInName.Enabled" value="1"/>
<param name="Telephony.PhoneSystem.Broadsoft.Lookup.Incoming" value="1"/>
<param name="Telephony.PhoneSystem.Broadsoft.Lookup.Outgoing" value="1"/>
```

User interface



The user can via short-press phonebook key, be directed to one phonebook, configured by the administrator or via long-press get the complete list of available phonebooks.

Which phonebooks are listed, is dependent on the settings.

Select Directory	
Local Directory	
Personal Phonelist	
Group Directory	
Common Phonelist	
Enterprise Directory	
Enterprise Common	
Back	OK