

NEC

NEC

About NEC

NEC Enterprise Solutions provides IT & Communication solutions to small, medium and large enterprises to maximize business efficiency. See below for a list with supported features when using the Gigaset IP devices behind an NEC SV8100 PBX system.

All tests were performed by the Gigaset pro support team.

Version : **V. 9.0**



Feature	DE700 / DE900 IP Pro	DE310 / DE410 IP PRO	N720 Multi cell	N510 IP Pro
Software release:	02.00.08	02.00.05	71.073	42.081
Basic Call	Yes	Yes	Yes	Yes
Calling line (CLIP)	Yes	Yes	Yes	Yes
Connected line (COLP)	Yes	Yes	Yes	Yes
Anonymous call	No	No	No	No
Do Not Disturb	Yes	Yes	PBX code 847+3	PBX code 847+3
Message waiting	No	No	No	Yes
Call list/history	Yes	Yes	Yes	Yes
Voice mail deposit/retrieval	Yes	Yes	No	Yes
Call waiting	No	Yes*	Yes*	Yes*
Call Hold / Toggle	No	No	No	No
Call forward (CFU)	848+1+Number	848+1+Number	848+1+Number	848+1+Number
Call forward (CFNR)	845+1+Number	845+1+Number	845+1+Number	845+1+Number
Call forward (CFB)	843+1+Number	843+1+Number	843+1+Number	843+1+Number
Call Transfer attended	Yes	Yes	Yes	Yes
Call Transfer unattended	Yes	Yes	Yes	Yes
Call Transfer blind	Yes	Yes	Yes	Yes
DTMF (RFC2833)	Yes	Yes	Yes	Yes
Conference 3pty	No	No	No	No
BLF Busy / Idle indication	No	No	n/a	n/a
Call pick-up direct (programmable)	Yes	Yes	Yes	Yes
Call pick-up group (programmable)	Yes	Yes	Yes	Yes
Call pick-up BLF	No	No	n/a	n/a
Call completed elsewhere	No	No	No	No
Auto provisioning	No	No	No	No

*Call waiting works from external calls routed directly to the extension number

Very important:

To use our VoIP DECT system (N720/N510) with this PBX the VoIP board IPLB must be used.

The DExxx phones function with either the IPLA board or the IPLB board.

NEC cannot be considered as a full IP-PBX and some features are available only with proprietary phones that have specific function keys or with analog phones with codes (example: anonymous calls or three-way call /Conference).

